

## Noise Monitoring Data - Summary of Construction Noise Monitoring Results (30mins), dB(A)

<b>NM1A - Slope near the Victoria Shanghai Academy</b>							
Date	Time		Noise Levels, dB(A)			Wind Speed (ms-1)	Limit Level for L <sub>eq</sub> (30min/dB(A))
	Start	Finish	Corrected L <sub>eq</sub> (30min) <sup>(1)</sup>	Corrected L <sub>90</sub> <sup>(1)</sup>	Corrected L <sub>10</sub> <sup>(1)</sup>		
08-Aug-19	10:00	10:30	58.5	55.9	59.9	0.5	70
14-Aug-19	10:15	10:45	59.5	57.7	61.1	0.5	70
20-Aug-19	10:10	10:40	59.7	58.2	61.2	0.4	70
26-Aug-19	10:30	11:00	58.9	57.6	60.4	0.5	70

<b>NM2 - Hong Kong Juvenile Care Centre</b>							
Date	Time		Noise Levels, dB(A)			Wind Speed (ms-1)	Limit Level for L <sub>eq</sub> (30min/dB(A))
	Start	Finish	L <sub>eq</sub> (30min)	L <sub>90</sub>	L <sub>10</sub>		
08-Aug-19	09:20	09:50	50.0	47.3	51.2	0.5	70
14-Aug-19	09:35	10:05	50.8	47.6	52.3	0.5	70
20-Aug-19	09:30	10:00	50.6	47.4	52.0	0.4	70
26-Aug-19	09:25	09:55	50.3	47.7	51.5	0.5	70

**Notes:**

(1) A free field correction of +3dB(A) has been made to these measurements as specified in the EM&A Manual and EPD guidelines.