Noise Monitoring Data - Summary of Construction Noise Monitoring Results (30mins), dB(A)

NM1A - Slope near the Victoria Shanghai Academy												
Date	Time		Noise Levels, dB(A)			Wind Chand (ma 4)	Limit Level for L _{eq}					
	Start	Finish	Corrected L _{eq} (30min) (1)	Corrected L ₉₀ (1)	Corrected L ₁₀ ⁽¹⁾	Wind Speed (ms-1)	(30min/dB(A))					
04-Dec-19	10:00	10:30	60.3	57.6	62.4	1.0	70					
10-Dec-19	10:00	10:30	61.8	59.7	63.4	0.7	70					
16-Dec-19	14:20	14:50	60.4	56.3	62.9	1.0	70					
27-Dec-19	10:02	10:32	60.6	55.5	62.3	0.6	70					

NM2 - Hong Kong Juvenile Care Centre											
Date	Time		Noise Levels, dB(A)			Wind Consul (mas 4)	Limit Level for Leq				
	Start	Finish	L _{eq} (30min)	L ₉₀	L ₁₀	Wind Speed (ms-1)	(30min/dB(A))				
04-Dec-19	09:20	09:50	52.2	48.2	54.5	1.0	70				
10-Dec-19	09:20	09:50	51.4	45.2	53.0	0.5	70				
16-Dec-19	15:20	15:50	53.2	50.0	55.1	0.5	70				
27-Dec-19	09:20	09:50	50.1	48.3	51.2	0.7	70				

⁽¹⁾ A free field correction of +3dB(A) has been made to these measurements as specified in the EM&A Manual and EPD guidelines.