## Noise Monitoring Data - Summary of Construction Noise Monitoring Results (30mins), dB(A)

NM1A - Slope near the Victoria Shanghai Academy												
Date	Time		Noise	e Levels, dB(A)	Mind Oncod (mod 4)	Limit Level for L <sub>eq</sub>						
	Start	Finish	Corrected L <sub>eq</sub> (30min) (1)	Corrected L <sub>90</sub> (1)	Corrected L <sub>10</sub> (1)	Wind Speed (ms-1)	(30min/dB(A))					
02-Mar-20	10:00	10:30	58.9	55.1	61.0	1.0	70					
12-Mar-20	10:00	10:30	60.8	56.3	63.0	1.0	70					
18-Mar-20	10:00	10:30	60.4	57.7	62.2	1.0	70					
24-Mar-20	10:20	10:50	60.7	55.7	63.0	0.5	70					
30-Mar-20	13:50	14:20	60.6	58.3	62.6	0.6	70					

NM2 - Hong Kong Juvenile Care Centre												
Date	Time		Noise	e Levels, dB(A)	Wind Chood (mo 4)	Limit Level for L <sub>eq</sub>						
	Start	Finish	<b>L</b> <sub>eq</sub> (30min)	<b>L</b> <sub>90</sub>	<b>L</b> <sub>10</sub>	Wind Speed (ms-1)	(30min/dB(A))					
02-Mar-20	09:20	09:50	50.1	47.4	53.6	1.0	70					
12-Mar-20	09:20	09:50	49.0	44.8	51.2	1.0	70					
18-Mar-20	09:20	09:50	49.2	45.2	51.8	1.0	70					
24-Mar-20	09:40	10:10	50.0	45.6	51.6	0.5	70					
30-Mar-20	13:10	13:40	49.7	47.6	51.7	0.6	70					

<sup>(1)</sup> A free field correction of +3dB(A) has been made to these measurements as specified in the EM&A Manual and EPD guidelines.